



STRK Use of System Charging Statement 2025-6

Document Details	
Document ID	YD451
Last updated:	30/07/2025
Version:	1.1
Document owner:	Policy & Regulation Members
Approved by:	Policy & Regulation
Classification:	Controlled

Change history

Change control table:			
Date:	Version:	Created/Modified by:	Description of change(s):
1/4/2025	001	Process and Audit Manager	Update the branded controlled document and office number.

Table of contents

1.	Introduction.....	2
2.	Charge application and definitions.....	3
3.	Schedule of charges for use of the distribution system	13
4.	Schedule of line loss factors	13
5.	Notes for designated EHV properties	14
6.	Electricity distribution rebates.....	15
7.	Accounting and administration services.....	15
8.	Charges for electrical plant provided ancillary to the grant of use of system	17
9.	Schedule of fixed adders to recover supplier of last resort and eligible bad debt pass-through costs.....	17
10.	Non-final demand sites	17
11.	Reference documents	18
12.	List of Annexes	27
13.	Validity and document management	28

1. Introduction

Effective from: 1 April 2025

- 1.1 This statement has been generated to inform interested parties on our electricity distribution charges and the reasons behind them. It has been prepared consistent with Standard Licence Condition 14 of Stark Infra-Electricity Ltd (“**STRK**”) Electricity Distribution Licence. The main purpose of this statement is to provide our schedule of charges¹ for the use of our Distribution System and to provide the schedule of adjustment factors² that should be applied in Settlement to account for losses from the Distribution System. We have included guidance notes in Appendix 2 to help improve your understanding of the charges we apply.
- 1.2 Within this statement we use terms such as ‘Users’ and ‘Customers’ as well as other terms which are identified with initial capitalisation. These terms are defined in Appendix 1.
- 1.3 The charges in this statement replicate those published by the Distribution Network Operators (DNOs) where the latter have been calculated using the Common Distribution Charging Methodology (CDCM) for Low Voltage and High Voltage (LV and HV) Designated Properties. Charges for any Designated Extra High Voltage (EHV) Properties connected to **STRK** will be calculated using the **STRK** EHV Charging Methodology.

At the date of publication **STRK** has no Designated EHV properties.
- 1.4 This statement reflects the changes which have been introduced as a result of Market-wide Half Hourly Settlement (MHHS). Although the existing arrangements will continue to apply for Non-Migrated MPANs, the MHHS arrangements will be effective for any MPAN that has Migrated, any differences in treatment are highlighted throughout the document.
- 1.5 Separate charges are calculated depending on the characteristics of the connection and whether the use of the Distribution System is for demand or generation purposes. Where a generation connection is seen to support the Distribution System the charges will be negative and the Supplier will receive credits for exported energy.
- 1.6 The application of charges to premises can usually be referenced using the Charge Code contained in the charge tables. The Charge Code is applied by reference to the combination of the Line Loss Factor Class (LLFC)/DUoS Tariff ID, Profile Class (PC) and Standard Settlement Configuration (SSC) attached to a supply point. Further information on how to identify and calculate the charge that will apply for your premises is provided in the guidance notes in Appendix 2.
- 1.7 All charges in this statement are shown exclusive of VAT. Invoices will include VAT at the applicable rate.
- 1.8 The annexes that form part of this statement are available in Microsoft .xlsx spreadsheet format. This spreadsheet contains supplementary information used for charging purposes and a simple model to assist you to calculate charges. This spreadsheet can be downloaded from our website at [Company Policies - Stark](#) or requested from us on the contact information on the next page.

Validity period

¹ Charges can be positive or negative

² Also known as Loss Adjustment Factors or Line Loss Factors

- 1.9 This charging statement is valid for services provided from the effective date stated on the front of the statement and remains valid until updated by a revised version or superseded by a statement with a later effective date.
- 1.10 When using this charging statement care should be taken to ensure that the statement or statements covering the period that is of interest are used.
- 1.11 Before making an amendment to STRK's Use of System Charges, they shall be approved by the Authority. STRK shall submit a proposal to the authority in accordance with Condition 14 Part F of their distribution Licence. To achieve this STRK must:
- i) give the Authority a revised use of system charging statement that sets out the amended charges and specifies the date to which they have effect.
 - ii) give the Authority not less than three months' notice before the date of effect on which STRK proposes to amend its Use of System Charges in respect of any agreement for Use of System.

When the Authority approves such a proposal, STRK will revise this statement and give notice of any revision to the statement to Users of our Distribution System. The latest statement can be downloaded from [Company Policies - Stark](#)

Contact details

- 1.12 If you have any questions about this statement or enquiries regarding Connection Agreements and changes to maximum capacities, please contact us at the below address:
- Stark Infra
Sentinel House
10-12 Massetts Road
Horley
Surrey
RH6 7DE
Email: networks@stark.co.uk
- 1.13 For all other queries please contact our general enquiries telephone service on 03330 030845 between 8.45am and 5pm Monday to Friday.

2. Charge application and definitions

- 2.1 The following section details how the charges in this statement are applied and billed to Users of our Distribution System.
- 2.2 We utilise two billing approaches depending on the type of metering data received:
- The 'Supercustomer'/Aggregated approach for Customers for whom we receive aggregated consumption data through Settlement
 - The 'Site-specific' approach for Customers for whom we receive site-specific consumption data through Settlement.
- 2.3 We receive aggregated consumption data through Settlement for:
- Non-Migrated MPANs:*
- Domestic and non-domestic Customer for whom Non-Half Hourly (NHH) metering data is used in Settlement (i.e. Customers with MPANs which are registered to Measurement Class A);

- Customers which are unmetered and are not settled as pseudo Half Hourly (HH) metered (i.e. Customers with MPANs which are registered to Measurement Class B)
- Domestic Customers for whom HH metering data is used in Settlement (i.e. Customers with MPANs which are registered to Measurement Class F); and
- Non-domestic Customers for whom HH metering data is used in Settlement and which have whole current (WC) metering (i.e. Customers with MPANs which are registered to Measurement Class G).

Migrated MPANs:

- All Customers who have a Connection Type that indicates a Whole Current connection, i.e. with Connection Type “W”.

2.4 We receive site-specific consumption data through Settlement for:

Non-Migrated MPANs

- Customers for whom HH metering data is used in Settlement and which have current transformer (CT) metering (i.e. Customers with MPANs which are registered to Measurement Class C or E); and
- Customers which are unmetered and settled as pseudo HH metered (i.e. Customers with MPANs which are registered to Measurement Class D)

Migrated MPANs

- All Customers who have a Connection Type of “L” Low Voltage, “H” High Voltage, “E” Extra-High Voltage or “U” Unmetered.

Supercustomer/Aggregated billing and payment

- 2.5 The Supercustomer/Aggregated approach makes use of aggregated data obtained from Suppliers using the “Aggregated Distribution Use of System (DUoS) Report” data flow for Non-Migrated MPANs, and the “LDSO Report for DUoS – aggregated data” message or the “Embedded Network report for DUoS – aggregated data” message for Migrated MPANs.
- 2.6 Invoices are calculated on a periodic basis and sent to each User for whom **STRK** is transporting electricity through its Distribution System. Invoices are reconciled, over a period of approximately 14 months, to ensure the cash positions of Users and **STRK** are adjusted to reflect later and more accurate consumption figures. This will reduce to four months following MHHS implementation.
- 2.7 The charges are applied based on the LLFC/DUoS Tariff ID assigned to a Meter Point Administration Number (MPAN), and the units consumed within the time periods specified in the statement. These time periods may not necessarily be the same as those indicated by the Time Pattern Regimes (TPRs) assigned to the SSC – specific to DNOs. All LLFCs/DUoS Tariff IDs are assigned at the sole discretion of **STRK**. The charges in this document are shown exclusive of VAT. Invoices take account of previous Settlement Runs and include VAT.

Supercustomer/Aggregated charges

- 2.8 Supercustomer/Aggregated Charges are generally billed through the following components:
- a fixed charge - pence/MPAN/day; there will only be one fixed charge applied to each MPAN; and
 - Unit charges - pence/kWh, more than one unit charge may be apply depending on the type of tariff for which the MPAN is registered.
- 2.9 Users who wish to supply electricity to Customers for whom we receive aggregated data through Settlement (see paragraph 2.3) will be allocated the relevant charges structure set out in Annex 1.
- 2.10 Identification of the appropriate charge can be made by cross-reference to the LLFC/DUoS Tariff ID.

- 2.11 For Non-Migrated MPANs the Valid Settlement Profile Class (PC)/Standard Settlement Configuration (SSC)/Meter Timeswitch Code (MTC) combinations for LLFC where the Metering System is Measurement Class A or B are detailed in Market Domain Data (MDD). For Migrated MPANs the appropriate reference data is contained in Industry Standing Data (ISD).
- 2.12 Where an MPAN has an Invalid Settlement Combination, a tariff will be applied based on the LLFC/DUoS Tariff ID. Where no valid Supercustomer/Aggregated tariff can be applied, the “Domestic Aggregated with Residual” fixed and unit charges will be applied as default until the invalid combination is corrected.
- 2.13 The “Domestic Aggregated (related MPN)” and “Non-Domestic Aggregated (related MPAN)” charges are supplementary to their respective primary MPAN Charge.

Site specific billing and payment

- 2.14 Site-specific billing and payment approach makes use of HH metering data at premises level received through Settlement.
- 2.15 Invoices are calculated on a periodic basis and sent to each User, for whom **STRK** is transporting electricity through its Distribution System. Where an account is based on estimated data, the account shall be subject to any adjustment that may be necessary following the receipt of actual data from the User.
- 2.16 The charges are applied based on the LLFC/DUoS Tariff ID assigned to the MPAN (or the Meter System Identifier (MSID) for Central Volume Allocation (CVA) sites), and the units consumed within the time periods specified in this statement. Where MPANs have not been associated, for example when multiple points of connection fed from different sources are used for a single site, the relevant number of fixed charges will be applied.
- 2.17 LLFCs/DUoS Tariff IDs are assigned at the sole discretion of **STRK**, based on the tariff application rules set out in the appropriate charging methodology or elsewhere in this statement. Where an incorrectly applied LLFC/DUoS Tariff ID is identified, **STRK** may at its sole discretion apply the correct LLFC/DUoS Tariff ID and/or charges. Please refer to section ‘Incorrectly Allocated Charges’ if an allocated LLFC/DUoS Tariff ID or tariff is believed to be incorrect.

Site specific billed charges

- 2.18 Site-Specific billed charges for LV and HV Designated Properties may include the following components:
- a fixed charge pence/MPAN/day or pence/MSID/day;
 - a capacity charge, pence/kVA/day for Maximum Import Capacity (MIC) and/or Maximum Export Capacity (MEC);
 - an excess capacity charge, pence/kVA/day, if a site exceeds its MIC and/or MEC;
 - unit Charges, pence/kWh, more than one unit charge may be applied; and
 - an excess reactive power charge, pence/kVARh, for each unit in excess of the reactive charge threshold.
- 2.19 Site-specific billed charges for properties that are under transitional protection arrangements for BSC Modification P432 or MHHS will include only fixed and unit charges, in the same manner as Supercustomer/Aggregated charges, as described in 2.8.
- 2.20 Users who wish to supply electricity to Customers for whom we receive site-specific data through Settlement (see paragraph 2.4) will be allocated the relevant charge structure dependent upon the voltage and location of the Metering Point.

- 2.21 Fixed charges are generally levied on a pence per MPAN or pence per MSID basis. Where two or more HH MPANs/MSIDs are located at the same point of connection (as identified in the connection agreement), with the same LLFC/DUoS Tariff ID, and registered to the same Supplier, only one daily fixed charge will be applied.
- 2.22 LV & HV Designated Properties will be charged in accordance with the CDCM and allocated the relevant charge structure set out in Annex 1.

2.23 LV and HV Designated Properties which utilise a combination of Intermittent or Non-Intermittent generation technologies metered through a single MPAN/MSID will be allocated the Non-Intermittent generation tariff unless the combined installed capacity, as evidence in ratings contained in the Connection Agreement, for Intermittent generation technologies is higher than the combined installed capacity for Non-Intermittent generation technologies, in which case the Intermittent generation tariff will be allocated.

2.24 Designated EHV Properties will be charged in accordance with the EHV Distribution Charging Methodology (EDCM) and allocated the relevant charge structure set out in Annex 2.

For clarity, STRK does not currently have any Designated EHV properties.

2.25 Where LV and HV Designated Properties or Designated EHV Properties have more than one point of connection (as identified in the Connection Agreement) then separate charges will be applied to each point of connection.

Components of Charges

Application of Residual Charges

2.26 The following sections explain the application of residual charges.

Final Demand Sites

2.27 Residual charges are recovered through fixed charges for all Final Demand Sites. All Non-Final Demand Sites must submit a valid certificate, as described in Section 10, and upon receipt of a valid certificate will be allocated to the relevant No Residual tariff.

Residual Charging Bands

2.28 Fixed Charges, representing Residual charges to be recovered by DNOs, are applied to Final Demand Sites on a banded basis, with all sites in a given charge band receiving the same residual charge. Domestic customers have a single charging band.

2.29 There are four non-domestic charging bands for each of the following groups:

- Designated Properties connected at LV, billing with no MIC;
- Designated Properties connected at LV, billing with MIC;
- Designated Properties connected at HV; and
- Designated EHV Properties.

2.30 All non-domestic Final Demand customers are allocated into one of the four charging bands, for each relevant charge structure.

2.31 The residual charging band boundaries are calculated nationally based upon data from all LDNOs. The method and timing for calculating the residual charging band boundaries and the method and timing for allocating customers into the residual charging bands are set out in Schedule 32 of DCUSA.

2.32 The boundaries for the residual bands can be found in the 'Stark Infra-Electricity Ltd Schedule of Charges and other Tables 2025-6' zipped folders on our website.

Time periods

- 2.33 The time periods for the application of unit charges to LV and HV Designated Properties that are HH metered are detailed in Annex 1. **STRK** has not issued a notice to change the time bands.
- 2.34 The time periods for the application of unit charges to Designated EHV Properties are detailed in Annex 2. **STRK** has not issued a notice to change the time bands.
- 2.35 The time periods for the application of unit charges to connections that are Pseudo HH Metered are detailed in Annex 1. **STRK** has not issued a notice to change the time bands.

Application of capacity charges

- 2.36 The following sections explain the application of Capacity Charges and Exceeded Capacity Charges.

Chargeable capacity

- 2.37 The Chargeable Capacity is, for each billing period, the highest of the MIC/MEC as detailed below.
- 2.38 The MIC/MEC will be agreed with **STRK** at the time of connection or pursuant to a later change in requirements. Following such an agreement (be it at the time of connection or later) no reduction in MIC/MEC will be allowed for a period of one year (12 months).
- 2.39 Reductions to the MIC/MEC may only be permitted once in a 12-month period and no retrospective changes will be allowed. Where MIC/MEC is reduced the new lower level will be agreed with reference to the level of the Customer's maximum demand. The new MIC/MEC will be applied from the start of the next billing period after the date that the request was received. It should be noted that where a new lower level is agreed, the original capacity may not be available in the future without the need for network reinforcement and associated charges.
- 2.40 In the absence of an agreement the chargeable capacity, save for error or omission, will be based on the last MIC and/or MEC previously agreed by the distributor for the relevant premises' connection. A Customer can seek to agree or vary the MIC and/or MEC by contacting **STRK** using contact details noted within this statement.

Exceeded capacity

- 2.41 Where a customer takes additional unauthorised capacity over and above the MIC/MEC, the excess will be classed as Exceeded Capacity. The exceeded portion of the capacity will be charged at the excess capacity charge p/kVA/day rate, based on the difference between the MIC/MEC and the actual capacity used. This will be charged for the full duration of the month in which the breach occurs.

Demand exceeded capacity

$$\text{Demand exceeded capacity} = \text{MAX} (2 \times \sqrt{AI^2 + \text{MAX} (RI, RE)^2} - \text{MIC}, 0)$$

Where:

AI = Active Import (kWh)

RI = Reactive Import (kVArh)

RE = Reactive Export (kVArh)

MIC = Maximum Import Capacity (kVA)

- 2.42 Only reactive import and reactive export values occurring at times of active import are used in the calculation. Where data from two or more MPAN's is aggregated for billing purposes the HH consumption values are submitted prior to the calculation above. For sites which are importing and exporting in the same HH, i.e. where active import is not equal to zero and active export is not equal to zero, use zero for reactive import and reactive export when calculating capacity taken.
- 2.43 This calculation is completed for every half hour and the maximum value from the billing period is applied.

Generation exceeded capacity

$$\text{Generation exceeded capacity} = \text{MAX} (2 \times \sqrt{AE^2 + \text{MAX} (RI, RE)^2} - \text{MEC}, 0)$$

Where:

AE = Active Export (kWh)

RI = Reactive Import (kVArh)

RE = Reactive Export (kVArh)

MEC = Maximum Export Capacity (kVA)

2.44 Only reactive import and reactive export values occurring at times of active export are used in the calculation.

Where data for two or more MPAN's is aggregated for billing purposes the HH consumption values occurring at times of kWh export are summated prior to the calculation above. For sites which are importing and exporting in the same HH, i.e. where the active import is not equal to zero and active export is not equal to zero, use zero for reactive import and reactive export when calculating capacity taken.

2.45 This calculation is completed for every half hour and maximum value from the billing period is applied.

Standby capacity for additional security on site

2.46 Where standby capacity charges are applied, the charge will be set at the same rate as that applied to normal MIC. Where, at a customer's request, for additional security of supplies requiring sterilisation of capacity at two different sources of supply, we reserve the right to charge for the capacity held at each source.


Minimum capacity levels

2.47 There is no minimum capacity threshold.

Application of charges for excess reactive power

2.48 Where an individual HH metered MPAN's reactive power (measured in kVArh) at LV and HV Designated Properties exceeds 33% of total active power (measured in kWh), excess reactive power charges will apply. This threshold is equivalent to an average power factor of 0.95 during the period. Any reactive units in excess of the 33% threshold are charged at the rate appropriate to the particular charge.

2.49 Power Factor is calculated as follows:



2.50 The chargeable Reactive Power is calculated as follows.

Demand chargeable reactive power

$$\text{Demand chargeable kVArh} = \text{MAX} \left(\text{MAX}(RI, RE) - \left(\sqrt{\left(\frac{1}{0.95^2} - 1 \right) \times AI} \right), 0 \right)$$

Where:

AI = Active Import (kWh)

RI = Reactive Import (kVArh)

RE = Reactive Export (kVArh)

2.51 Only reactive import and reactive export values occurring at times of active import are used in the calculation.

Where data for two or more MPANs is aggregated for billing purposes the HH consumption values are summated prior to the calculation above. For sites which are importing and exporting in the same HH i.e. where active import is not equal to zero and active export is not equal to zero, no calculation for the HH is made and the result for that HH would be zero.

2.52 The square root calculation will be to two decimal places.

2.53 This calculation is completed for every half hour and the values summated over the billing period.

Generation chargeable reactive power

$$\text{Generation chargeable kVArh} = \text{MAX} \left(\text{MAX}(\text{RI}, \text{RE}) - \left(\sqrt{\left(\frac{1}{0.95^2} - 1 \right) \times \text{AE}}, 0 \right) \right)$$

Where:

AE = Active Export (kWh)

RI = Reactive Import (kVArh)

RE = Reactive Export (kVArh)

2.54 Only reactive import and reactive export values occurring at times of active export are used in the calculation.

Where data for two or more MPANs is aggregated for billing purposes the HH consumption values are summated prior to the calculation above. For sites which are importing and exporting in the same HH i.e. where active import is not equal to zero and active export is not equal to zero, no calculation for that HH is made and the result for that HH would be zero.

2.55 The square root calculation will be to two decimal places.

2.56 This calculation is completed for every half hour and the values summated over the billing period.

Allocation of Charges

2.57 It is our responsibility to apply the correct charges to each MPAN/MSID. The allocation of charges is based on the voltage of connection, import/export details, metering information and for some tariffs, the metering location.

Where an MPAN/MSID is used for export purposes, the type of generation (Intermittent or Non-Intermittent) also determines the allocation of charges.

2.58 We are responsible for deciding the voltage of connection. Generally, this is determined by where the metering is located and where responsibility for the electrical equipment transfers from us to the connected Customer.

This is normally established when the MPAN/MSID is created and will include information about whether the MPAN/MSID is for import or export purposes. Where an MPAN/MSID is used for export purposes the type of generation (intermittent or non-intermittent) will also be determined.

2.59 We are also responsible for allocating non-domestic customers into their residual charging bands. Allocation into residual charging bands is determined by consumption for customers billed under the Supercustomer/Aggregated approach and for properties that are under transitional protection arrangements for BSC modification P432 or MHHS, and by the MIC for all other customers billed under the site-specific approach.

- 2.60 The Supplier determines and provides us with metering information and data. This enables us to allocate the charges where there is more than one charge per voltage level. This metering information and data is likely to change over time if, for example, a Supplier changes from a two-rate meter to a single rate meter. When we are notified, this has happened we will change the allocation of charges accordingly.
- 2.61 Where it has been identified that a charge is likely to be incorrectly allocated due to the wrong voltage of connection (or import/export details or metering location), then a correction request to investigate the applicable charges should be made to us. Requests from persons other than the Customer or the current Supplier must be accompanied by a Letter of Authority from the Customer; the current Supplier must also acknowledge that they are aware that a request has been made. Any request must be supported by an explanation of why it is believed that the current charge is wrongly applied along with supporting information, including, where appropriate photographs of metering positions or system diagrams. Any request to correct the current charge that also includes a request to backdate the correction must include justification as to why it is considered appropriate to backdate the change.
- 2.62 If it has been identified that a charge has been incorrectly allocated due to the metering information and/or data, then a correction request should be made to the Supplier.
- 2.63 Where a residual charging band allocation cannot be resolved, the dispute process provided within DCUSA Schedule 32 should be followed.
- 2.64 An administration charge (covering our reasonable costs) may be made if a technical assessment or site visit is required, but we will not apply any charge where we agree to the change request.
- 2.65 Where we agree that an MPAN/MSID/LLFC/DUoS Tariff ID charge has been assigned to the wrong voltage level then we will correct it by allocating the correct set of charges for that voltage level. Any adjustment for incorrectly applied charges will be as follows:
- Any credit or additional charge will be issued to the Supplier(s) who were effective during the period of the change.
 - The correction will be applied from the date of the request, back to the date of the incorrect allocation or, up to the maximum period specified by: the Limitation Act (1980), in England and Wales, which covers a six year period; or, the Prescription and Limitation (Scotland) Act 1973, which covers a five year period; whichever is the shorter.
- 2.66 Should we reject the request a justification will be provided to the requesting Party.
- 2.67 We shall not unreasonably withhold or delay any agreement to correct the charges applied and would expect to reach agreement within three months from the date of request.

Generation charges for pre-2005 designed EHV properties

- 2.68 Designated EHV Properties that were connected to the distribution system under a pre-2005 connection charging policy are eligible for exemption from UoS charges for generation unless one of the following criteria has been met:
- 25 years have passed since their first energisation/connection date (i.e. Designated EHV Properties with connection agreements dated prior to 1st April 2005, and for which 25 years has passed since their first energisation/connection date will receive Use of System Charges for generation from the next charging year following the expiry of their 25 years exemption, (starting 1st April), or
 - the person responsible for the Designated EHV Property has provided notice to us that they wish to opt in to UoS charges for generation.

If a notice to opt in has been provided there will be no further opportunity to opt out.

- 2.69 Furthermore, if an exempt customer makes an alteration to its export requirement, then the customer may be eligible to be charged for the additional capacity required or energy imported or exported. For example, where a generator increases its export capacity the incremental increase in export capacity will attract UoS charges as with other non-exempt generators.

Provision of billing data

- 2.70 Where HH metering data is required for UoS charging and this is not provided in accordance with the Balancing and Settlement Code (BSC) or the Distribution Connection and Use of System Agreement (DCUSA), such metering data shall be provided to us by the User of the system in respect of each calendar month within five working days of the end of that calendar month.
- 2.71 The metering data shall identify the amount consumed and/or produced energy in each half hour of each day and shall separately identify active and reactive import and export. Metering data provided to us shall be consistent with that received through the metering equipment installed.
- 2.72 Metering data shall be provided in an electronic format specified by us from time to time and, in the absence of such specification, metering data shall be provided in a comma-separated text file in the format of data flow D0036 (as agreed with us) for Non-Migrated MPANs, and the IF-21 message for Migrated MPANs (as agreed with us). The data shall be emailed to networks@stark.co.uk, or sent via the Data Transfer Network (DTN) or via the Data Integration Platform (DIP).
- 2.73 We require details of reactive power imported or exported to be provided for all Measurement Class C (mandatory HH metered) sites and for Measurement Class E (elective HH metered sites). It is also required for CVA sites and Exempt Distribution Network boundaries with difference metering. **STRK** reserves the right to levy a charge on Users who fail to provide such reactive data. In order to estimate missing reactive data, a Power Factor of 0.9 lag will be applied to the active consumption in any half hour.

Licensed distributor network operator charges

- 2.74 Licensed Distribution Network Operator (LDNO) charges are applied to LDNOs who operate Embedded Networks within **STRK**.
- 2.75 The charge structure for LV and HV Designated Properties embedded in Networks operated by LDNOs will mirror the structure of the 'all-the-way' charge and is dependent upon the voltage of connection of each Embedded Network to the **STRK** Network. The same charge elements will apply as those that match the LDNO's end customer Charges. The relevant charge structures are set out in Annex 4.
- 2.76 Where a NHH metered MPAN has an Invalid Settlement combination, the 'LDNO HV: Domestic Unrestricted' fixed and unit charges will be applied as default until the invalid combination is corrected. Where there are multiple SSC/TPR combinations, the default 'LDNO HV: Domestic Unrestricted' fixed and unit charge will be applied for each invalid TPR combination.
- 2.77 The charge structure for Designated EHV Properties embedded in Networks operated by LDNOs will be calculated individually using the EDCM. The relevant charge structures are set out in Annex 2.
- 2.78 For Nested Networks the relevant charging principles set out in DCUSA Schedule 21 will apply.

Licence exempt distribution networks

- 2.79 The Electricity and Gas (Internal Market) Regulations 2011³ introduced new obligations on owners of licence exempt distribution networks (sometimes called private networks) including a duty to facilitate access to electricity and gas Suppliers for Customers within those networks.
- 2.80 When Customers (both domestic and commercial) are located within a licence exempt distribution network and require the ability to choose their own Supplier, this is called 'third party access'. These embedded customers will require an MPAN so that they can have their electricity supplied by a Supplier of their choice.
- 2.82 Licence exempt distribution networks owners can provide third party access using either full Settlement metering or the difference metering approach.

Full settlement metering

- 2.83 This is where a licence exempt distribution network is set up so that each embedded installation has an MPAN and Metering System and therefore all customers purchase electricity from their chosen Supplier. In this case there are no Settlement Metering Systems at the boundary between the licensed Distribution System and the exempt distribution network.
- 2.83 In this approach our UoS charges will be applied to each MPAN.

Difference metering

- 2.84 This is where one or more, but not all, Customers on a licence exempt distribution network choose their own Supplier for electricity supply to their premise. Under this approach the customers requiring third party access on the exempt distribution network will have their own MPAN and must have a HH Metering System.
- 2.85 Unless agreed otherwise, our UoS charges will be applied using gross settlement/net settlement or both.

Gross settlement

- 2.86 Where one of **STRK** MPANs (prefixed '39') is embedded within a Licence Exempt Distribution Network connected to our Distribution System, and difference metering is in place for Settlement purposes and we receive gross measurement data for the boundary MPAN, we will continue to charge the boundary MPAN Supplier for use of our Distribution System. No charges will be levied by us directly to the Customer or Supplier of the embedded MPAN(s) connected within the licence exempt distribution network.
- 2.87 We require that gross metered data for the boundary of the connection is provided to us. Until a new industry data flow is introduced for the sending of such gross data, gross metered data shall:
- be provided in a text file in the format of the D0036 data flow or IF-021 DIP Message
 - the text file shall be emailed to networks@stark.co.uk
 - the title of the email should also contain the phrase "gross data for difference metered private network"
 - the text file and the title of the email shall contain the metering reference specified by us in place of the Settlement MPAN, i.e. a dummy alphanumeric reference to enable the relating of the gross metered data to a given boundary MPAN;
 - the text filename shall be formed of the metering reference specified by us, followed by a hyphen, and followed by a timestamp in the format YYYYMMDDHHMMSS and followed by ".txt"
- 2.88 For the avoidance of doubt, the reduced difference metered measurement data for the boundary connection that is to enter Settlement should continue to be sent using the Settlement MPAN.

Net settlement

³ The Electricity and Gas (Internal Market) Regulations 2011 available from <http://www.legislation.gov.uk/ukxi/2011/2704/contents/made>

2.89 Where one of our MPANs (prefixed '39') is embedded within a Licence Exempt Distribution Network connected to one of our Distribution Systems, and difference metering is in place for Settlement purposes, and we do **not** receive gross measurement data for the boundary MPAN, we will charge the boundary MPAN Supplier based on the net measurement for use of our Distribution System. Charges will also be levied directly to the Supplier of the embedded MPAN(s) connected within the licence exempt distribution network based on the actual data received.

2.90 The charges applicable for an embedded MPAN are unit charges only. These will be the same values as those at the voltage of connection to the Licence Exempt Distribution Network and are shown in Annex 1. The fixed charge and capacity charge, at the agreed MIC/MEC of the boundary MPAN, will be charged to the boundary MPAN supplier.

3. Schedule of charges for use of the distribution system

3.1 Tables listing the charges for the distribution of electricity under UoS are published in the annexes to this document.

3.2 These charges are also listed in a spreadsheet which is published with this statement and can be downloaded from [Stark Infra IDNO Regulatory Annexes 2025-2026 - Stark](#)

3.3 Annex 1 contains charges to LV and HV designated Properties.

3.4 Annex 2 contains the charges applied to our Designated EHV Properties and charges applied to LDNOs for Designated EHV Properties connected within their embedded Distribution System.

3.5 Annex 3 contains details of any preserved and additional charges that are valid at this time. Preserved charges are mapped to an appropriate charge and are closed to new Customers.

3.6 Annex 4 contains the charges applied to LDNOs in respect of LV and HV Designated Properties connected in their embedded Distribution System.

3.7 Annex 5 contains the Line Loss Factors for the losses of electricity through its distribution to the customer.

4. Schedule of line loss factors

Role of line loss factors in the supply of electricity

4.1 Electricity entering or exiting Distribution Systems is adjusted to take account of energy that is lost⁴ as it is distributed through the network. This adjustment does not affect distribution charges but is made to ensure the energy bought or sold by a User, from/to a customer, accounts for energy lost as part of distributing energy to and from the User's premises.

4.2 We are responsible for calculating the Line Loss Factors⁵ (LLFs) and providing these factors to Elexon Limited. Elexon Limited is the company that manages the BSC. This Code covers the governance and rules for the balancing and settlement arrangements of electricity in the UK.

4.3 Annex 5 provides the LLFs which must be used to adjust the Metering System volumes to take account of losses on the Distribution Network.

⁴ Energy can be lost for technical and non-technical reasons and losses normally occur by heat dissipation through power flowing in conductors and transformers. Losses can also reduce if a customer's action reduces power flowing in the distribution network. This might happen when a customer generates electricity and the produced energy is consumed locally.

⁵ Also referred to as Line Loss Adjustment Factors

Calculation of line loss factors

- 4.4 LLFs are calculated in accordance with BSC Procedure (BSCP) 128. BSCP128 determines the principles by which Licenced Distribution System Operators (LDSOs) must comply with when calculating LLFs. It also defines the procedure and timetable by which LLFs are reviewed and submitted by each LDSO.
- 4.5 LLFs are calculated for a set number of time periods during the year, using a generic method or a site-specific method. The generic method is used for sites connected at LV or HV and the site-specific method is used for sites connected at EHV or where a request for site specific LLFs has been agreed. Generic LLFs will be applied to all new EHV sites until sufficient data is available for a site-specific calculation.
- 4.6 The definition of EHV used for LLF purposes differs from the definition used for defining Designated EHV Properties that is used in the EDCM. The definition used for LLF purposes can be found in our LLF methodology.
- 4.7 The Elexon website (<http://www.elexon.co.uk/reference/technical-operations/losses/>) contains more information on LLFs. This page also has links to BSCP128 and to our LLF methodology.

Line loss factor time periods

- 4.8 LLFs are calculated for a set number of time periods during the year and are detailed in Annex 5.

Line loss factor tables

- 4.9 When using the LLF tables in Annex 5 reference should be made to the LLFC allocated to the MPAN to find the appropriate LLF.

Publication of line loss factors

- 4.10 The LLFs used in Settlement are published on the Elexon Limited portal on their website <https://www.elexonportal.co.uk> and contains the LLFs in standard industry data formats (D0265) and in a summary form. A user guide with details on registering and using the portal can be downloaded from <https://www.elexonportal.co.uk/userguide>
- 4.11 The BSCP128 sets out the timetable by which LLFs are submitted and audited. The submission and audit occur between September and December in the year prior to the LLFs becoming effective. Only after the completion of the audit at the end of December and with approval from the BSC are the final LLFs published.
- 4.12 Illustrative LLFs based on the latest LLFs are provided in Annex 5 of this statement. These illustrative LLFs are provided with reference to metered voltage or associated LLFC for generic LLFs and by reference to the LLFCs for site specific LLFs. Each LLF is applicable to a defined time period.
- 4.13 As this charging statement is published a complete year before the LLFs have been published it is important to note that the LLFs provided in this statement are for illustration only and may be revised during the BSCP128 process.
- 4.14 When using the tables in Annex 5, reference should be made to the LLFC allocated to a Non-Migrated MPAN or to the DUoS Tariff ID allocated to a Migrated MPAN to find the appropriate values.

5. Notes for designated EHV properties

EDCM Network group costs

- 5.1 STRK does not currently have any Designated EHV Properties.

- 5.2 These are illustrative of the modelled costs at the time that this statement was last reviewed and published. A new connection will result in changes to current network utilisations, which will then form the basis of future prices; the charge determined in this statement will not necessarily be the charge in subsequent years because of the interaction between new and existing network connections and any other changes made to our Distribution System which may affect charges.

Charges for new designated EHV properties

- 5.3 Charges for any new Designated EHV Properties calculated after publication of the current statement will be published on our website in an addendum to that statement as and when necessary. The addendum will include charge information of the type found in Annex 2, and LLFs as found in Annex 5.
- 5.4 The form of the addendum is detailed in Annex 6 of this statement.
- 5.5 The addendum will be sent to relevant DCUSA parties (i.e. the registered Supplier) and where requested the Customer. The addendum will include charge information that under enduring circumstances would be found in Annex 2 and line loss factors that would normally be found in Annex 5.
- 5.6 The new Designated EHV Properties charges will be added to Annex 2 when this next full statement is reviewed and published.

Charges for amended designated EHV properties

- 5.7 Where an existing Designated EHV Property is modified and energised in the charging year, we may revise the EDCM charges for the modified Designated EHV Property. If revised charges are appropriate, an addendum will be sent to relevant DCUSA parties and published as a revised 'Schedule of Charges and Other Tables' spreadsheet on our website. The modified Designated EHV Property charges will be added to Annex 2 in the next full statement released.

Demand side management

- 5.8 Not Used

6. Electricity distribution rebates

- 6.1 We have neither given nor announced any DUoS rebates to Users in the 12 months preceding the date of publication of this revision of the statement.

7. Accounting and administration services

- 7.1 We reserve the right to impose payment default remedies. The remedies are as set out in DCUSA where applicable or else as detailed in the following paragraphs.
- 7.2 If any invoices that are not subject to a valid dispute remain unpaid on the due date, late payment interest (calculated at base rate plus 8%) and administration charges may be imposed.
- 7.3 Our administration charges are detailed in the following table. These charges are set at a level which is in line with the Late Payment of Commercial Debts (Interest) Act 1998⁶;

⁶ Late Payment of Commercial Debts (Interest) Act 1998 available from <https://www.legislation.gov.uk/ukpga/1998/20/contents>

Table 1: administration charges for accounting and administration services

Size of Unpaid Debt	Late Payment Fee
Up to £999.99	£40
£1,000 to £9,999.99	£70.00
£10,000 or more	£100.00

8. Charges for electrical plant provided ancillary to the grant of use of system

None

9. Schedule of fixed adders to recover supplier of last resort and eligible bad debt pass-through costs

9.1. Our charges will recover the amounts payable to upstream network operators as a result of charges which they recover in line with their Standard Licence Condition 38B 'Treatment of payment claims for last resort supply where Valid Claim is received on or after 1 April 2019'. Excess Supplier of Last Resort

9.2. In accordance with paragraph 9 of SLC38B, we may amend previously published charges as a result of Last Resort Supply Payment claims which breach the Materiality Threshold.

9.3. In such instance, we will include the fixed charge adder to recover these costs separately to the charges calculated in accordance with paragraph 9.1. The Excess Supplier of Last Resort fixed adder therefore represents an increase to previously published charges only. Eligible Bad Debt

9.4. Our charges will recover the amounts payable to upstream network operators as a result of charges which will recover the amount of Use of System bad debt the Authority has consented to be recovered. Tables of Fixed Adders

9.5. Tables listing the charges to recover Supplier of Last Resort and Eligible Bad Debt pass-through costs are published in Annex 7 to this document. The charges are shown for information only and are already included in the final charges.

10. Non-final demand sites

Charges for Non-Final Demand Sites

10.1. A Non-Final Demand Site is charged an import tariff that excludes the residual cost element of charges. If the User wishes for a property to qualify for allocation to these tariffs, then the User must submit certification declaring that the property meets the required criteria as per DCUSA.

Process for submitting certification

10.2. This certification should take the form as set out in Appendix 3 and be submitted to networks@stark.co.uk.

10.3. We may, at our discretion, request a signed paper certificate from the User, in place of electronic. If requested, paper certification should be posted to the contact details in 1.11.

10.4. Users should undertake reasonable endeavours to ensure the facts attested to in the certification are true. We may request documentation evidencing these endeavours, including where appropriate, photographs of metering positions or system diagrams, following receipt of the certification.

10.5. If we determine that the documentation provided does not sufficiently evidence the undertaking of reasonable endeavours, does not support the facts attested to in the certification, or if no documentation is received, we may at our discretion reject the certification as invalid. If the certification is rejected as invalid, then the property will not qualify as a Non-Final Demand Site.

Application of charges for Non-Final Demand Sites

10.6. A property will only be deemed to qualify as a Non-Final Demand Site, and be allocated charges as such, from the date on which we receive valid certification.

10.7. If a property that has previously been certified as a Non-Final Demand Site no longer satisfies the criteria as per DCUSA, then the User must inform us immediately.

10.8. For a property that has been previously certified as a Non-Final Demand Site, we will continue to apply the relevant no residual import tariff without the requirement for further certification, except in any one of the following circumstances;

- Where we have reason to believe that the property no longer qualifies as a Non-Final Demand Site; or
- Significant time has passed since the certification was submitted; or
- Where there is a change to the connection characteristics i.e. capacity change.

If such circumstances occur, we may request re-certification of the site or reject the certification as invalid at our discretion.

10.9. When a property no longer meets the required criteria to qualify as a Non-Final Demand Site, we will change the allocation of charges accordingly from that point.

10.10. Please refer to the section 'Incorrectly allocated charges' if you believe the property has been incorrectly not allocated charges as a Non-Final Demand Site.

11. Reference documents

Appendix 1 - Glossary

The following definitions, which can extend to grammatical variations and cognate expressions, are included to aid understanding and do not form part of the application of charges.

Table 2: Glossary of terms

Term	Definition
All-the-way Charge	A charge that is applicable to an end user rather than an LDNO. An end user in this context is a Supplier/User who has a registered MPAN or MSID and is using the Distribution System to transport energy on behalf of a customer.
Balancing and Settlement Code (BSC)	The BSC contains the governance arrangements for electricity balancing and settlement in Great Britain. An overview document is available from www.elexon.co.uk/ELEXON Documents/trading_arrangements.pdf
Common Distribution Charging Methodology (CDCM)	The CDCM used for calculating charges to Designated Properties as required by standard licence condition 13A of the Electricity Distribution Licence.
Central volume allocation (CVA)	As defined in the BSC.
Customer	A person to whom a User proposes to supply, or for the time being supplies, electricity through an exit point, or from who, a User or any relevant exempt supplier, is entitled to recover charges, compensation or an account of profits in respect of electricity supplied through an exit point; Or A person from whom a User purchases, or proposes to purchase, electricity, at an entry point (who may from time to time be supplied with electricity as a Customer of that User (or another electricity supplier) through an exit point).
Designated EHV Properties	As defined in standard condition 13B of the Electricity Distribution Licence.
Designated Properties	As defined in standard condition 13A of the Electricity Distribution Licence.

Term	Definition
Distributor IDs	These are unique IDs that can be used, with reference to the MPAN, to identify your LDNO. The charges for other network operators can be found on their website.
Distribution Connection and Use of System Agreement (DCUSA)	The DCUSA is a multi-party contract between the licensed electricity distributors, suppliers, generators and Offshore Transmission Owners of Great Britain. It is a requirement that all licensed electricity distributors and suppliers become parties to the DCUSA.
Distribution Network Operator (DNO)	An electricity distributor that operates one of the 14 distribution services areas and in whose electricity distribution licence the requirements of Section B of the standard conditions of that licence have effect.
Distribution Services Area	The area specified by the Gas and Electricity Markets Authority within which each DNO must provide specified distribution services.
Distribution System	The system consisting (wholly or mainly) of electric lines owned or operated by an authorised distributor that is used for the distribution of electricity from: Grid Supply Points or generation sets or other entry points to the points of delivery to: Customers or Users or any transmission licensee in its capacity as operator of that licensee's transmission system or the Great Britain (GB) transmission system and includes any remote Transmission assets (owned by a transmission licensee within England and Wales) that are operated by that authorised distributor and any electrical plant, electricity meters, and metering equipment owned or operated by it in connection with the distribution of electricity, but does not include any part of the GB transmission system.
DUoS Tariff ID	An identifier assigned to an SVA Metering System which is used to assign the use of system charges for Migrated MPANs
EHV Distribution Charging Methodology (EDCM)	The EDCM used for calculating charges to Designated EHV Properties as required by standard licence condition 13B of the Electricity Distribution Licence.
Electricity Distribution Licence	The Electricity Distribution Licence granted or treated as granted pursuant to section 6(1) of the Electricity Act 1989.
Electricity Distributor	Any person who is authorised by an Electricity Distribution Licence to distribute electricity.
Embedded LDNO	This refers to an LDNO operating a distribution network which is embedded within another distribution network.
Embedded Network	An electricity Distribution System operated by an LDNO and embedded within another distribution network.
Entry Point	A boundary point at which electricity is exported onto a Distribution System from a connected installation or from another Distribution System, not forming part of the total system (boundary point and total system having the meaning given to those terms in the BSC).
Exit Point	A point of connection at which a supply of electricity may flow from the Distribution System to the Customer's installation or User's installation or the Distribution System of another person.
Extra-High Voltage (EHV)	Nominal voltages of 22kV and above.
Gas and Electricity Markets Authority (GEMA)	As established by the Utilities Act 2000.

Term	Definition
Grid Supply Point (GSP)	A metered connection between the National Grid Electricity Transmission system and the licensee's distribution system at which electricity flows to or from the Distribution System.
GSP group	A distinct electrical system that is supplied from one or more GSPs for which total supply into the GSP group can be determined for each half hour.
High Voltage (HV)	Nominal voltages of at least 1kV and less than 22kV.
Industry Standing Data (ISD)	Is the reference data used in Settlement processes under MHHS.
Intermittent Generation	Defined in DCUSA Schedule 16 as a generation plant where the energy source of the prime mover cannot be made available on demand. These include (but not limited to) wind, tidal, wave, photovoltaic and small hydro
Invalid Settlement Combination	A Settlement combination that is not recognised as a valid combination in market domain data – see https://www.elexonportal.co.uk/MDDVIEWER .
kVA	Kilovolt amperes.
kVArh	Kilovolt ampere reactive hour.
kW	Kilowatt.
kWh	Kilowatt hour (equivalent to one "unit" of electricity).
LDSO report for DUoS – aggregated data	A report of data by DUoS Tariff ID and Supplier providing counts of MPANs and units consumed.
Licensed Distribution Network Operator (LDNO)	The holder of a licence in respect of distribution activities in Great Britain.
Line Loss Factor (LLF)	The factor that is used in Settlement to adjust the metering system volumes to take account of losses on the Distribution System.
Line Loss Factor Class (LLFC)	An identifier assigned to an SVA metering system which is used to assign the LLF and use of system charges for Non-Migrated MPANs.
Load Factor	$= \frac{\text{annual consumption (kWh)}}{[\text{maximum demand (kW)} \times \text{hours in year}]}$
Low Voltage (LV)	Nominal voltages below 1kV.
Market Domain Data (MDD)	MDD is a central repository of reference data available to all Users involved in Settlement. It is essential to the operation of SVA trading arrangements.
Market Segment	Market Segment is derived from the Meter Type and Connection Type using a defined set of business rules. There are three Market Segments: • Smart and Non-Smart (Including Smart meters with Settlement Period level data available, Smart Meters with only Register Readings available and Non-Smart meters with Register Readings) • Advanced (which are Advanced Metering Systems with Settlement Period level data available) • Unmetered
Market-wide HH Settlement (MHHS)	Market-wide Half-Hourly Settlement (MHHS) is a key enabler of the flexibility to support the transition to Net Zero. The MHHS Programme will contribute to a

Term	Definition
	more cost-effective electricity system, encouraging more flexible use of energy and helping consumers lower their bills.
Maximum Export Capacity (MEC)	The MEC of apparent power expressed in kVA that has been agreed can flow through the entry point to the Distribution System from the Customer's installation as specified in the connection agreement.
Maximum Import Capacity (MIC)	The MIC of apparent power expressed in kVA that has been agreed can flow through the exit point from the Distribution System to the Customer's installation as specified in the connection agreement.
Measurement Class	A classification of metering systems used in the BSC which indicates how consumption is measured, i.e.: Measurement class A – non-half-hourly metering equipment; Measurement class B – non-half-hourly unmetered supplies; Measurement class C – half-hourly metering equipment at or above 100kW premises; Measurement class D – half-hourly unmetered supplies; and Measurement class E – half-hourly metering equipment below 100kW premises, and from 5 November 2015, with current transformer. Measurement class F – half hourly metering equipment at below 100kW premises with current transformer or whole current, and at domestic premises Measurement class G – half hourly metering equipment at below 100kW premises with whole current and not at domestic premises
Meter Timeswitch Code (MTC)	MTCs are three digit codes allowing suppliers to identify the metering installed in Customers' premises. They indicate whether the meter is single or multi-rate, pre-payment or credit, or whether it is 'related' to another meter. Further information can be found in MDD.
Metering Point	The point at which electricity that is exported to or imported from the licensee's Distribution System is measured, is deemed to be measured, or is intended to be measured and which is registered pursuant to the provisions of the MRA. For the purposes of this statement, GSPs are not 'metering points'.
Metering Point Administration Number (MPAN)	Also known Supply Number or S-Number and is a 21-digit number relating to a Metering Point under the MRA. Commonly, only reference is made to the last 13 digits of the MPAN (also known as the 'Core Digits' or 'MPAN Core').
Metering System	Particular commissioned metering equipment installed for the purposes of measuring the quantities of exports and/or imports at the exit point or entry point.
Metering System Identifier (MSID)	MSID is a term used throughout the BSC.
Migrated MPANs	Migration refers to the process by which MPANs are migrated from the legacy arrangements to the new MHHS arrangements.
Nested Networks	This refers to a situation where there is more than one level of Embedded Network and therefore nested Distribution Systems between LDNOs (e.g. host DNO → primary nested LDNO → secondary nested LDNO → customer).
Non-Migrated MPANs	This refers to the status when an MPAN is on the legacy arrangements before migrated under MHHS.
Non-Intermittent Generation	Defined in DCUSA Schedule 16 as a generation plant where the energy source of the prime mover can be available on demand, and the generator can choose when to operate, and bring more benefits to the network if it runs at times of high load. These include (but are not limited to) Combined Cycle Gas Turbine

Term	Definition
	(CCGT), gas generators, landfill, sewage, biomass, biogas, energy crop, waste incineration and combined Heat and Power (CHP)
Ofgem	Office of Gas and Electricity Markets – Ofgem is governed by GEMA and is responsible for the regulation of the distribution companies.
Profile Class (PC)	A categorisation applied to NHH MPANs and used in Settlement to group Customers with similar consumption patterns to enable the calculation of consumption profiles.
Settlement	The determination and settlement of amounts payable in respect of charges (including reconciling charges) in accordance with the BSC.
Settlement Class (SC)	The combination of Profile Class, Line Loss Factor Class, Time Pattern Regime and Standard Settlement Configuration, by Supplier within a GSP group and used for Settlement.
Standard Settlement Configuration (SSC)	A standard metering configuration relating to a specific combination of Time Pattern Regimes.
Supercustomer	The method of billing Users for use of system on an aggregated basis, grouping together consumption and standing charges for all similar NHH metered Customers or aggregated HH metered Customers.
Supercustomer DUoS Report	A report of profiled data by Settlement Class providing counts of MPANs and units consumed.
Supplier	An organisation with a supply licence responsible for electricity supplied to and/or exported from a metering point.
Supplier Volume Allocation (SVA)	As defined in the BSC.
Time Pattern Regime (TPR)	The pattern of switching behaviour through time that one or more meter registers follow.
Unmetered Supplies	Exit points deemed to be suitable as unmetered supplies as permitted in the Electricity (Unmetered Supply) Regulations 2001 and where operated in accordance with BSC procedure 520 ⁷
Use of System Charges	Charges which are applicable to those parties which use the Distribution System.
User	Someone that has a use of system agreement with the DNO e.g. a supplier, generator or other DNO.

Appendix 2 – Guidance notes⁸

Background

The electricity bill from your Supplier contains an element of charge to cover electricity distribution costs. This distribution charge covers the cost of operating and maintaining a safe and reliable Distribution System that forms the ‘wires’ that transport electricity between the national transmission system and end users such as homes and businesses. Our Distribution System includes overhead lines, underground cables, as well as substations and transformers.

⁷ Balancing and Settlement Code Procedures are available from <http://www.elexon.co.uk/pages/bscps.aspx>

⁸ These guidance notes are provided for additional information and do not form part of the application of charges.

In most cases, your Supplier is invoiced for the distribution charge and this is normally part of your total bill. In some cases, (for example business users,) the supplier may pass through the distribution charge as an identifiable line item on the electricity bill.

Where electricity is generated at a property your Supplier may receive a credit for energy that is exported on to the Distribution System. These credits are intended to reflect that the exported generation may reduce the need for traditional demand led reinforcement of the Distribution System.

Understanding your distribution charges could help you reduce your costs and increase your credits. This is achieved by understanding the components of the charge to help you identify whether there may be opportunities to change the way you use the Distribution System.


Meter point administration

We are responsible for managing the electricity supply points that are connected to our Distribution System. Typically every supply point is identified by a Meter Point Administration Number (MPAN). A few supply points may have more than one MPAN depending on the metering configuration (e.g. a school which may have an MPAN for the main supply and a MPAN for catering).

The full MPAN is a 21 digit number, preceded by an 'S'. The MPAN applicable to a supply point is found on the electricity bill from your Supplier. This number enables you to establish who your electricity distributor is, details of the characteristics of the supply and importantly the distribution charges that are applicable to your premise.

The 21-digit number is normally presented in two sections as shown in the following diagram. The top section is supplementary data which gives information about the characteristics of supply, while the bottom 'core' is the unique identifier.

Full MPAN diagram



- 8.8 Generally, you will only need to know the Distributor ID and line loss factor class to identify the distribution charges for your premise. However, there are some premises where charges are specific to that site. In these instances, the charges are identified by the core MPAN. The Distributor ID for **STRK** is 39. Other Distributor IDs can be referenced in the glossary.
- 8.9 Additionally, it can be useful to understand the profile class provided in the supplementary data. The profile class will be a number between 00 and 08. The following list provides details of the allocation of profile classes to types of customers:

'01' – Domestic customers with unrestricted supply

'02' – Domestic customers with restricted load, for example off-peak heating

'03' – Non-domestic customers with unrestricted supply

'04' – Non-domestic customers with restricted load, for example off-peak heating

'05' – Non-domestic maximum demand customers with a Load Factor of less than 20%

'06' – Non-domestic maximum demand customers with a Load Factor between 20% and 30%

'07' – Non-domestic maximum demand customers with a Load Factor between 30% and 40%

'08' – Non-domestic maximum demand customers with a Load Factor over 40% or non-halfhourly
metered generation customers

'00' – Half-hourly metered demand and generation customers

8.10 Unmetered Supplies will be allocated to profile class 01, 08 and 00 depending on the type of load or the measurement method of the load.

8.11 The allocation of the profile class will affect your charges. If you feel that you have been allocated the wrong profile class, please contact your Supplier as they are responsible for this.

Your charges

- 8.12 All distribution charges that relate to our Distributor ID 39 are provided in this statement
- 8.13 You can identify your charges by referencing your PC, LLFC and SSC line loss factor class, from Annex 1. If the MPAN is for a Designated EHV Property, then the charges will be found in Annex 2. In a few instances, the charges may be contained in Annex 3. When identifying charges in Annex 2, please note that some line loss factor classes have more than one charge. In this instance you will need to select the correct charge by cross referencing with the core MPAN provided in the table.
- 8.14 Once you have identified which charge structure applies to your MPAN then you will be able to calculate an estimate of your distribution charge using the calculator provided in the spreadsheet 'Schedule of charges and other tables' found in the sheet called 'Charge Calculator'. This spreadsheet can be downloaded from Stark Reducing your charges
- 8.15 The most effective way to reduce your energy charges is to reduce your consumption by switching off or using more energy efficient appliances. However, there are also other potential opportunities to reduce your distribution charges; for example, it may be beneficial to shift demand or generation to a better time period. Demand use is likely to be cheaper outside peak periods and generation credits more beneficial, although the ability to directly benefit will be linked to the structure of your supply charges.
- 8.16 The calculator mentioned above provides the opportunity to establish a forecast of the change in distribution charges that could be achieved if you are able to change any of the consumption related inputs.

Reactive power and reactive power charges

- 8.17 Reactive power is a separately charged component of connections that are half-hourly metered. Reactive power charges are generally avoidable if 'best practice' design of the properties' electrical installation has been provided in order to maintain a power factor between 0.95 and unity at the Metering Point.
- 8.18 Reactive Power (kVArh) is the difference between working power (active power measured in kW) and total power consumed (apparent power measured in kVA). Essentially it is a measure of how efficiently electrical power is transported through an electrical installation or a Distribution System.
- 8.19 Power flowing with a power factor of unity results in the most efficient loading of the Distribution System. Power flowing with a power factor of less than 0.95 results in much higher losses in the Distribution System, a need to potentially provide higher capacity electrical equipment and consequently a higher bill for you the consumer. A comparatively small improvement in power factor can bring about a significant reduction in losses since losses are proportional to the square of the current.
- 8.20 Different types of electrical equipment require some 'reactive power' in addition to 'active power' in order to work effectively. Electric motors, transformers and fluorescent lighting, for example, may produce poor power factors due to the nature of their inductive load. However, if good design practice is applied then the poor power factor of appliances can be corrected as near as possible to source. Alternatively poor power factor can be corrected centrally near to the meter.
- 8.21 There are many advantages that can be achieved by correcting poor power factor. These include reduced energy bills through lower reactive charges, lower capacity charges and reduced power consumption and reduced voltage drop in long cable runs.

Site-specific EDCM charges

- 8.22 A site classified as a Designated EHV Property is subject to a locational based charging methodology (referred to as EDCM) for higher voltage network users. Distributors use two approved approaches:

- Long Run Incremental Cost Pricing (LRIC)
- Forward Cost Pricing (FCP)

STRK follow whichever method is utilised by the relevant distributor in their Distribution Service Area. The EDCM will apply to Customers connected at Extra High Voltage or connected at High Voltage and metered at a high voltage substation.

8.23 EDCM charges are site-specific, reflecting the degree to which the local and higher voltage networks have the capacity to serve more demand or generation without the need to upgrade the electricity infrastructure. The charges also reflect the networks specifically used to deliver the electricity to the site as well as the usage at the site. Generators with non-intermittent output and deemed to be providing beneficial support to our networks may qualify to receive payment.

8.24 The charges under the EDCM comprise of the following individual components:

a) Fixed charge – This charge recovers operational costs associated with those connection assets that are provided for the 'sole' use of the customer. The value of these assets is used as a basis to derive the charge.

b) Capacity charge (pence/kVA/day) -This charge comprises the relevant LRIC/FCP component, the National Grid Electricity Transmission cost and other regulated costs. Capacity charges are levied on the MIC, MEC, and any exceeded capacity. You may wish to review your MIC or MEC periodically to ensure it remains appropriate for your needs as you may be paying for more capacity than you require. If you wish to make changes, contact us via the details in this statement.

The LRIC/FCP cost is locational and reflects our assessment of future network reinforcement necessary at voltage of connection (local) and beyond at all higher voltages (remote) relevant to the customer's connection. This results in the allocation of higher costs in more capacity congested parts of the network reflecting the greater likelihood of future reinforcement in these areas, and the allocation of lower costs in less congested parts of the network. The local LRIC/FCP cost is included in the capacity charge.

Our regulated costs include direct and indirect operational costs and a residual amount to ensure recovery of our regulated allowed revenue. The capacity charge recovers these costs using the customer usage profile and the relevant assets being used to transport electricity between the source substation and customer's Metering Point.

c) Super-red unit charge (pence/kWh) -This charge recovers the remote LRIC/FCP component. The charge is positive for import and negative for export which means you can either reduce your charges by minimising consumption or increasing export at those times. The charge is applied on consumption during the Super-red time period as detailed in Annex 2.

8.25 Future charge rates may be affected by consumption during the Super-red period. Therefore, reducing consumption in the Super-red time period may be beneficial.

8.26 **Reactive Power** -The EDCM does not include a separate charge component for any reactive power flows (kVAR) for either demand or generation. However, the EDCM charges do reflect the effect on the network of the customer's power factor, for example unit charges can increase if your site power factor is poor (lower than 0.95). Improving your site's power factor will also reduce the maximum demand (kVA) for the same power consumed in kW thus providing scope to reduce your agreed capacity requirements.

APPENDIX 3 – NON-FINAL DEMAND SITE CERTIFICATE

A certificate set out in the form of the example shown below should be submitted to confirm that a site qualifies as a Non-Final Demand Site.

Non-Final Demand Site Certificate of Compliance	
This is to certify that the Metering System listed below qualifies as compliant with the criteria of a Non-Final Demand Site, for the purposes of Use of System charges, and that: The property is a Single Site at which either or both Electricity Storage and/or Electricity Generation occurs (whether the facility(ies) at the site are operating or being commissioned, repaired or decommissioned), and that: a) has an export MPAN and an import MPAN with associated metering equipment which only measures export from Electricity Storage and/or Electricity Generation and import for or directly relating to Electricity Storage and/or Electricity Generation (and not export from another source and/or import for another activity); and i) if registered in an MPAS Registration System, is subject to certification from a Supplier Party that the site meets the criteria in paragraph (a) above, which certificate has been provided to the DNO/IDNO Party; or ii) if registered in CMRS, is subject to certification from the Customer (or its CVA Registrant) that the site meets the criteria in paragraph (a) above, which certificate has been provided to the DNO/IDNO Party. For the purposes of this declaration, the term Non-Final Demand Site has the meaning given to it in the DCUSA.	
Metering System Site Address:	
Qualifying Import MPAN/MSID(s)	Qualifying Export MPAN/MSID(s)
I declare that I understand the qualification requirements and certify that the above Metering System meets the criteria of a Non-Final Demand Site. Authorised signatory: Name and designation: On behalf of company: Date:	

12. List of Annexes

Annex 1 - Schedule of Charges for use of the Distribution System by LV and HV Designated Properties.

Annex 2 - Schedule of Charges for use of the Distribution System by Designated EHV Properties (including LDNOs with Designated EHV Properties/end-users). ***STRK does not have any customers connected at EHV at this time.***

Annex 3 - Schedule of Charges for use of the Distribution System to Preserved/Additional LLFC Classes. ***STRK does not have any customers on preserved tariffs.***

Annex 4 - Charges applied to LDNOs with HV/LV end users

Annex 5 - Schedule of Line Loss Factors

Annex 6 - Un-scaled [nodal /network group] costs.

As **STRK** operates across all DNO areas, spreadsheets for the Annexes detailed above have been created for each DNO area, and are available to download from [Stark Infra IDNO Regulatory Annexes 2025-2026 - Stark](#)

This document is also available by contacting us at the address in this document or via email to networks@stark.co.uk

13. Validity and document management

This document is valid as of 01/04/25.

The owner of this document is [Head of Policy and Regulation SSIL](#) and [Head of Asset SEL](#), who must check and, if necessary, update the document at least annually.